




CRIMP CAPS



- CCL1614**16-14ga Long Tip Crimp Cap
CC121012-10ga White Crimp Cap



VINYL BUTT CONNECTORS

- RVBC** Red Vinyl (18-22ga)
3MRVBC Red Vinyl (18-22ga)
BVBC Blue Vinyl (14-16ga)
3MBVBC Blue Vinyl (14-16ga)
YVBC Yellow Vinyl (10-12ga) **100pk. \$3.86**
 Vinyl (8ga)
RVBC8 Red Vinyl (8ga)
YVBC4 Yellow Vinyl (4ga)


NYLON BUTT CONNECTORS (CLEAR)

- RNBC** Red Nylon (18-22ga)
BNBC Blue Nylon (14-16ga)
YNBC Yellow Nylon (10-12ga)



3M T-TAPS

- 3MRTT** Red T-Tap (18-22ga)
3MBTT Blue T-Tap (14-16ga)
3MYTT Yellow T-Tap (10-12ga)



3M SCOTCHLOKS®

- 3MRSL** Red Scotchlok® (18-22ga)
3MBSL Blue Scotchlok® (14-16ga)
3MYSL Yellow Scotchlok® (10-12ga)
3MBSL Brown (10-12 to 14-16ga)



BULLET CONNECTORS

- BVFB** 16/14ga Female Bullets
BVMB 16/14ga Male Bullets




FEMALE QUICK DISCONNECTS

- Red (18-22ga)**
RVFD110.....Red Female Quick Disc. (.110)
RVFD250.....Red Female Quick Disc. (.250)
RNFD250FRed Insulated Female Quick Disc.
3MRNFD250F .3M Red Insulated Female Quick Disc.
Blue (14-16ga)
BVFD110.....Blue Female Quick Disc. (.110)
BVFD187.....Blue Female Quick Disc. (.187)
BVFD205.....Blue Female Quick Disc. (.205)
BVFD250.....Blue Female Quick Disc. (.250)
BNFD250FBlue Insulated Female Quick Disc
3MBNFD250F .3M Blue Insulated Female Quick Disc
Yellow (10-12ga)
YVFD250.....Yellow Female Quick Disc. (.250)
YNFD250FYellow Insulated Female Quick Disc
3MYNFD250F .3M Yellow Insulated Female Quick Disc



MALE QUICK DISCONNECTS

- Red (18-22ga)**
RVMD250.....Red Male Quick Disconnect
RNMD250FRed Insulated Male Quick Disc.
3MRNMD250F 3M Red Insulated Male Quick Disc.
Blue (14-16ga)
BVMD250.....Blue Male Quick Disconnect
BNMD250FBlue Insulated Male Quick Disc.
3MBNMD250F 3M Blue Insulated Male Quick Disc
Yellow (10-12ga)
YVMD250.....Yellow Male Quick Disconnect
YNMD250FYellow Insulated Male Quick Disc
3MYNMD250F ..3M Yellow Insulated Male Quick Disc



RING TERMINALS

- Red (18-22ga)**
RVRT6 Red #6 Ring
RVRT8 Red #8 Ring
RVRT10 Red #10 Ring
Blue (14-16ga)
BVRT6 Blue #6 Ring
BVRT8 Blue #8 Ring
BVRT10 Blue #10 Ring
BVRT14 Blue 1/4" Ring
BVRT516 3M Blue 5/16" Ring
BVRT38 3M Blue 3/8" Ring

Yellow (10-12ga)

- YVRT10** Yellow #10 Ring
3MYVRT12 Yellow #12 Ring
YVRT14 Yellow 1/4" Ring
YVRT516 3M Yellow 5/16" Ring
YVRT38 3M Yellow 3/8" Ring



- Red (8ga)**
RVRT88 8 Gauge Red #8 Ring
RVRT838 8 Gauge Red 3/8" Ring
RVRT8516 8 Ga. Red 5/16" Ring

Yellow (4ga)

- YVRT438** 4 Ga. Yellow 3/8" Ring
YVRT4516 4 Ga. Yellow 5/16" Ring



UNINSULATED RINGS

- CUR1014** 1/0ga 1/4" Copper Rings
CUR1038 1/0ga 3/8" Copper Rings
CUR414 4ga 1/4" Copper Rings
CUR438 4ga 3/8" Copper Rings
CUR4516 4ga 5/16" Copper Rings

STINGERS



- PST61** 1" Stinger
- PST6114** 1-1/4" Stinger
- PST6112** 1-1/2" Stinger
- PST62** 2" Stinger
- PST83** 3" Stinger

WAFER HEAD TEKs



- PWHT812** 1/2" Wafer Head Tek
- PWHT834** 3/4" Wafer Head Tek
- PWHT81** 1" Wafer Head Tek

WAFER HEAD SCREWS



- PWHS812** 1/2" Wafer Head Stinger
- PWHS834** 3/4" Wafer Head Stinger
- PWHS81** 1" Wafer Head Stinger

PAN HEAD TEKs



- PPHT812** 1/2" Pan Head Tek
- PPHT834** 3/4" Pan Head Tek
- PPHT81** 1" Pan Head Tek

PAN HEAD SCREWS



- PPH812** 1/2" Pan Head
- PPH834** 3/4" Pan Head
- PPH81** 1" Pan Head
- PPH8112** 1-1/2" Pan Head

HEX HEAD TEKs



- HWHT812** 1/2" Hex Head Tek
- HWHT834** 3/4" Hex Head Tek

TRUSS HEAD SCREWS




- PTH812** #8; 1/2" Truss Head
- PTH81** #8; 1" Truss Head
- PTH1012** #10; 1/2" Truss Head
- PTH101** #10; 1" Truss Head

OVAL HEAD SCREWS



- POH812** 1/2" Oval Head
- POH834** 3/4" Oval Head
- POH81** 1" Oval Head

SPEED CLIPS



- SCL8** #8 Long Speed Clips



FORK TERMINALS

Red (18-22ga)

- RVST6** Red #6 Fork
- RVST8** Red #8 Fork
- RVST10** Red #10 Fork
- RVST88** 8ga Red #8 Fork

Blue (14-16ga)

- BVST6** Blue #6 Fork
- BVST8** Blue #8 Fork
- BVST10** Blue #10 Fork

Yellow (10-12ga)

- YVST6** Yellow #6 Fork
- YVST8** Yellow #8 Fork
- YVST10** Yellow #10 Fork

Red & Black (4ga)

- US410** 4ga #10 Fork



FUSE TAPS


- FTATC** ATC Fuse Taps
- FTATM** ATM Fuse Taps

AGC FUSES



- AGC***1,3,5,10,15,20,25 & 30 Amp

AGU FUSES



- AGU***10, 20, 30, 40, 50, 60, 70 & 80 Amp

MINI FUSES




- ATM***3, 5, 7.5, 10, 15, 20, 25, 30 & 40 Amp

ATC FUSES



- ATC***3, 5, 7.5, 10, 15, 20, 25, 30 & 40 amp

MAXI Fuses



- MAX***20, 30, 40, 50, 60, 80 amp



FUSEHOLDERS

- ATFH16CB10** ..16ga AGC Bakelite Fuseholder
- ATFH16C10**....16ga ATC Capped Fuseholder
- ATFH12C10**....12ga ATC Capped Fuseholder
- ATFH10C10**....10ga ATC Capped Fuseholder
- ATFH8CB**8ga AGU Bakelite Fuseholder
- MAXIFH**8ga MAXI Capped Fuseholder
- ATFH3M10**16/14ga Crimp ATC Fuseholder



WIRE TIES

| | |
|---------------|----------------------|
| BCT4 | 4" Wire Tie |
| BCT6 | 6" Wire Tie |
| BCT8 | 8" Wire Tie |
| BMCT7 | 7.5" w/Mounting Ring |
| BCT11 | 11" Wire Tie |
| BMCT11 | 11" w/Mounting Ring |
| BCT14 | 14" Wire Tie |




WIRE TIE MOUNTS

| | |
|-------------|---------------------------------|
| CTM1 | 1" x 1" Adhesive Wire Tie Mount |
|-------------|---------------------------------|



SNAP GROMMETS

| | |
|-------------|-------------------|
| SB1 | 1ga Snap Grommet |
| SB4 | 4ga Snap Grommet |
| SB8 | 8ga Snap Grommet |
| SB10 | 10ga Snap Grommet |




SPLIT LOOM

| | | |
|---------------|-----------------|------------|
| SLT14 | 1/4" Split Loom | |
| SLT145 | 1/4" Split Loom | 500' Boxed |
| SLT38 | 3/8" Split Loom | |
| SLT12 | 1/2" Split Loom | |
| SLT122 | 1/2" Split Loom | 200' Boxed |
| SLT58 | 5/8" Split Loom | |
| SLT34 | 3/4" Split Loom | |
| SLT1 | 1" Split Loom | |



CABLE CLAMPS

| | |
|--------------|------------------|
| BCC14 | 1/4" Cable Clamp |
| BCC38 | 3/8" Cable Clamp |
| BCC12 | 1/2" Cable Clamp |
| BCC34 | 3/4" Cable Clamp |



HEAT SHRINK TUBING - 4' LENGTHS

| | |
|-----------------|------------------------|
| 3MHST18 | 1/8" x 4' Heat Shrink |
| 3MHST316 | 3/16" x 4' Heat Shrink |
| 3MHST14 | 1/4" x 4' Heat Shrink |
| 3MHST38 | 3/8" x 4' Heat Shrink |
| 3MHST12 | 1/2" x 4' Heat Shrink |
| 3MHST34 | 3/4" x 4' Heat Shrink |
| 3MHST1 | 1" x 4' Heat Shrink |



HEAT SHRINK TUBING - 100' ROLLS

| | |
|------------------|--------------------------|
| 3MHST181 | 1/8" x 100' Heat Shrink |
| 3MHST3161 | 3/16" x 100' Heat Shrink |
| 3MHST141 | 1/4" x 100' Heat Shrink |
| 3MHST381 | 3/8" x 100' Heat Shrink |



18 AWG PRIMARY WIRE

| | |
|------------------|------------------|
| PWBK18500 | 18ga 500' Black |
| PWBL18500 | 18ga 500' Blue |
| PWBR18500 | 18ga 500' Brown |
| PWGN18500 | 18ga 500' Green |
| PWGY18500 | 18ga 500' Gray |
| PWOR18500 | 18ga 500' Orange |
| PWPK18500 | 18ga 500' Pink |
| PWPL18500 | 18ga 500' Purple |
| PWRD18500 | 18ga 500' Red |
| PWWT18500 | 18ga 500' White |
| PWYL18500 | 18ga 500' Yellow |

16 AWG PRIMARY WIRE

| | |
|------------------|------------------|
| PWBK16500 | 16ga 500' Black |
| PWBL16500 | 16ga 500' Blue |
| PWOR16500 | 16ga 500' Orange |
| PWRD16500 | 16ga 500' Red |
| PWYL16500 | 16ga 500' Yellow |

9 CONDUCTOR SPEED WIRE

| | |
|------------------|------------------|
| MC918-250 | 9 Conductor 250' |
|------------------|------------------|




QUICK DISCONNECTS

| | |
|--------------|------------------------|
| SB50 | 8ga Quick Disconnect |
| SB120 | 4ga Quick Disconnect |
| SB175 | 1/0ga Quick Disconnect |



BATTERY POST ADAPTERS

| | |
|---------------|--------------------------------|
| BT305 | Short GM Post Adapter - Nickel |
| BT305L | Long GM Post Adapter - Nickel |



RCA BARREL CONNECTORS

| | |
|-------------------|---------------|
| RCA100BF10 | Double Female |
| RCA100BM10 | Double Male |



CAMOUFLAGE SCREW CAPS

| | |
|---------------|------------------|
| CSC | Black Screw Caps |
| CSC106 | White Screw Caps |
| CSC122 | Tan Screw Caps |



WASHERS

| | |
|---------------|----------------------|
| IELW10 | #10 Lock Washer |
| TR8 | #8 Beveled Trim Ring |



BACKSTRAP

| | |
|-------------|---------------|
| BS9 | 9" Backstrap |
| BS18 | 18" Backstrap |



TAPE & ADHESIVES

| |
|--|
| 3METEC3M Temflex 1700 Tape |
| 3MET333M Super 33+ Tape |
| 3MBDT2" x 60yd Black Duct Tape..... |
| 3MSDT2" x 60yd Silver Duct Tape |
| 3MDST203M 1/2" x 20yd Double Stick Tape |
| HMGSCClear Hot Glue Sticks |
| HMGsBlack Hot Glue Sticks..... |
| APSAAll Purpose Spray Adhesive |
| 3MSTC3M Strip Caulk, 20yds, Black |
| BV1Black Velcro, 1" x 1yd |
| SDR141/4lb .062 Rosen Core Solder..... |
| SDR11lb .040 Rosen Core Solder |
| INSTGL2Insta-Cure+ 2oz Cyanoacrylate Adhesive |
| INSTACInsta-Set 2oz Spray Accelerator for CA Glue |
| INSTAUNUn-Cure 1oz CA Glue Dissolver/Remover |

UNBACKED CARPET

40" Wide - Stain/Fade Resistant, Stretchable

| | |
|---------------|----------------------|
| AC3015 | 5yd Black |
| AC3105 | 5yd Navy |
| AC3125 | 5yd Ocean Blue |
| AC3315 | 5yd Med. Dark Oak |
| AC3335 | 5yd Med. Parchment |
| AC3375 | 5yd Med.Prairie Tan |
| AC3385 | 5yd Mocha |
| AC3605 | 5yd Cinder |
| AC3615 | 5yd Med. Dark Pewter |
| AC3625 | 5yd Charcoal |
| AC3635 | 5yd Med. Graphite |
| AC3645 | 5yd Med. Gray |
| AC3805 | 5yd Burgandy |



UNBACKED TRUNK LINER

54" Wide - Stain/Fade Resistant, Stretchable

| | |
|---------------|--------------|
| TL3015 | 5yd Black |
| TL3605 | 5yd Charcoal |
| TL3645 | 5yd Silver |



SPEAKER RINGS

| | |
|-------------|--|
| SR10 | 10" Speaker Ring - 9-1/16" id / 11" od - 3/4" |
| SR12 | 12" Speaker Ring - 11-1/8" id / 13" od - 3/4" |
| SR15 | 15" Speaker Ring - 14-1/16" id / 17-1/8" od - 5/8" |



ABS SHEETS

| | |
|-----------------|---|
| 89009031 | 1/8" ABS (12" x 12") |
| ABS316 | 3/16" ABS (12" x 12") |
| 89009030 | 1/8" Blank ABS Grid* *Pre-Scored For Various Speaker Sizes |



COOLING FANS

| | |
|------------|--------------------------|
| CF1 | 3.1" 12 Volt Cooling Fan |
| CF2 | 4.7" 12 Volt Cooling Fan |



GRILL SNAPS

| | |
|------------|-------------------|
| GSF | Female Grill Snap |
| GSM | Male Grill Snap |



TERMINAL CUPS

| | |
|-------------|-----------------------|
| TCRB | Round w/Binding Posts |
| TCRS | Round w/Spring Clips |



CUSTOM GRILLES

| | |
|---|-----|
| 1/4" Polished Tooled Aluminum Dome Grille. | |
| FMDG10 | 10" |
| FMDG12 | 12" |
| FMDG15 | 15" |



AIR SAW BLADES

| | |
|--------------|---------------------|
| ASB10 | 10tpi Air Saw Blade |
| ASB24 | 24tpi Air Saw Blade |




LINEAR ACTUATORS

| | |
|---------------|--|
| FLINA4 | 4" Linear Actuator - 110lb Load Capacity |
| FLINA6 | 6" Linear Actuator - 110lb Load Capacity |
| FLINA8 | 8" Linear Actuator - 110lb Load Capacity |



LINEAR ACTUATOR CONTROLLER

| | |
|--------------|---|
| LACTC | 3 Button Splash Resistant Control Pad - |
|--------------|---|




PIN SWITCHES

- FMPS** Flange Mount Pinswitch
- PS** Universal Pinswitch
- VFPS** Vertical Flange Pinswitch
- PSBL** L-Shaped Bracket
- PSB** Straight Bracket



TOGGLE SWITCHES

- IBMTS** 5 Pack Mini Toggle Switch
- IBRRS** 5 Pk Round Rocker Switch
- IBRRSR** 5 Pk Red Illuminated Switch



DIODES

- D1** 1 Amp Diodes
- D3** 3 Amp Diodes
- D6** 6 Amp Diodes

GM VATS BYPASS

- GMVATS** 10 Packs of 10 Values

NEW CORDLESS HIGH INTENSITY LED LIGHTING FROM COBRA!




LED18 18 LED Flip Light

- 4 Hour Charge Time
- 7 Hour Use Time
- NiMH 1200mAh Battery
- 360 Swivel Hook
- Weather Resistant
- Rubberized Finish
- AC & DC Chargers Included
- 2-1/4" x 4" x 1.5" (Closed)



LED60 60 LED Light Bar

- 4 Hour Charge Time
- 4 Hour Use Time
- NiMH 800mAh Battery
- 360 Swivel Hook
- Magnetic Mount
- Weather Resistant
- AC & DC Chargers Included
- 2" x 15"



RELAY SOCKETS

- ERS123** Single Relay Socket


RELAYS

- RL3040** 30/40A Relay



DOOR LOCK MOTORS

DLA



DOOR LOCK MOTORS

DLACK2

Cable Style 2 Actuator Kit - Includes Hardware Necessary For Tapping Into Door Lock Cables.



TRANSMITTER BATTERIES

- 12VBAT** 12 Volt 23A Batteries
- 12VBATGP27** 12 Volt 27A Batteries
- CR2016** 3V CR2016 Batteries
- CR2025** 3V CR2025 Batteries
- CR2032** 3V CR2032 Batteries
- CR2450** 3V CR2450 Batteries

BRACKETRON BRACKET

Designed to allow multiple mounting options for securing many of today's popular mobile electronic devices in a motor vehicle

- Provides a secure mount on vehicle's dashboard
- Can be adapted and customized to work with most dashboards
- Compatible with smart phones, cell phones, MP3 players and PDAs with the included PH-Mini-4 universal cradle



UNI4503SW

SEAT HEATERS

IBHS1

Single Seat Heater w/Illuminated 3 Position Switch

- Newest Carbon Fiber Technology
- 18" x 9" Trimmable Heat Pads
- Electronic Auto Off Temperature Safety System
- High Setting: 120-125 Low Setting: 110-115
- Includes Wire Harness & Installation Hardware



IBHS2

Single Seat Heater w/Illuminated 5 Position Thumb Dial

- Newest Carbon Fiber Technology
- 18" x 9" Trimmable Heat Pads
- Electronic Auto Off Temperature Safety System
- High Setting: 120-125 Low Setting: 110-115
- Includes Wire Harness & Installation Hardware



IBHS3

Dual Seat Heaters w/Illuminated 5 Position Left/Right Thumb Dial

- Newest Carbon Fiber Technology
- 18" x 9" Trimmable Heat Pads
- Electronic Auto Off Temperature Safety System
- High Setting: 120-125 Low Setting: 110-115
- Includes Wire Harness & Installation Hardware





HW9007

IB1006

HW9013



HW9006



IB35200



IB18600



IB476



IB35260



IB27450



IB35350



ATHMNGL




ATHKNGL



HW9002

LED STRIP LIGHTS



- Flexible water resistant strips highlight any installation
- LED strips are 8mm wide
- 3M Double sided tape provides a strong bond
- 60 LEDs per meter
- 120 viewing angle
- Can be cut at every 3rd LED for custom length

1 METER LED STRIPS

| | | |
|------------|------|--------|
| IBLED-1MA | 3.3' | Amber |
| IBLED-1MB | 3.3' | Blue |
| IBLED-1MG | 3.3' | Green |
| IBLED-1MPK | 3.3' | Pink |
| IBLED-1MPP | 3.3' | Purple |
| IBLED-1MR | 3.3' | Red |
| IBLED-1MW | 3.3' | White |

3 METER LED STRIPS

| | | |
|------------|------|--------|
| IBLED-3MA | 9.9' | Amber |
| IBLED-3MB | 9.9' | Blue |
| IBLED-3MG | 9.9' | Green |
| IBLED-3MPK | 9.9' | Pink |
| IBLED-3MPP | 9.9' | Purple |
| IBLED-3MR | 9.9' | Red |
| IBLED-3MW | 9.9' | White |

5 METER LED STRIPS

| | | |
|------------|-------|--------|
| IBLED-5MA | 16.5' | Amber |
| IBLED-5MB | 16.5' | Blue |
| IBLED-5MG | 16.5' | Green |
| IBLED-5MPK | 16.5' | Pink |
| IBLED-5MPP | 16.5' | Purple |
| IBLED-5MR | 16.5' | Red |
| IBLED-5MW | 16.5' | White |

SIDE VIEW LED STRIP LIGHTS



- 2 - 24" Pure White headlight strips in each kit
- Waterproof, designed to withstand the elements
- LED strips are 6mm wide
- 3M Double sided tape provides a strong bond
- Can be cut at every 3rd LED for custom length

24" LED STRIPS

| | | |
|-----------|-------------|-------|
| IBLED-SVW | 2' (x 2pcs) | White |
|-----------|-------------|-------|